

REFERENCES

- Annan, A. P., Davis, J. L., and Gendzwill, D., 1988, Radar sounding in potash mines, Saskatchewan, Canada: *Geophysics*, v. 53, no. 12, p. 1556-1564.
- Babayants, S.P., Zavarzun, G.N., Igoshin, A.F., Klenchin, N.N., and Nichinurenko, A.M., 1970, Mestorozhdeniya boksitove v zapadno-Turgayskom i Amangel'dinskem boksitorvdnykh raonakh (Bauxite deposits of the western Turgay and Amangel'din bauxite-ore region [Kazakhstan]) in *Geofizicheskie Poiski Ruduykh Mestorozhdeniy* (Geophysical exploration of ore deposits) Kazakhstan Ministry of Geology.
- Balsley, J.R., and Buddington, A.F., 1958, Iron-titanium oxide minerals, rocks and aeromagnetic anomalies of the Adirondack area, New York: *Economic Geology*, v. 53, p. 777-805.
- Barongo, J.O., 1987, Geophysical detection of mineral conductors in tropical terrains with target conductors partly embedded in the conductive overburden: *Geophysical Prospecting*, v. 35, no. 5, p. 568-589.
- Barreto, Pedro Trindade, 1974, Estudos dos ocorrencias de apatita de Gavião, e da jazida de ouro da Serra de Jacobina (Ba), por meio da cintilometria e da espectrometria gama: unpublished masters thesis Universidade Federal da Bahia (Brazil), 155 p. (in Portuguese).
- Bath, G.D., 1962, Magnetic anomalies and magnetizations of the Biwabik iron formation, Mesabi area, Minnesota: *Geophysics* v. 27, p. 627-650.
- Bose, R.N., 1983, Present trend of mining geophysics in India: Association of Exploration Geophysicists, 13th Annual Convention and Seminar on Exploration Geophysics, p. 63-71.
- Brant, A.A., Dolan, W.H., and Elliot, C.L., 1966, Coplanar and coaxial EM tests in Bathurst area, New Brunswick, Canada, 1956, *in Mining Geophysics*, v. I, Case Histories: Society of Exploration Geophysicists, p. 130-141.
- Brodovoi, V.V., Goldshmidt, V.I., and Klichnikov, V.A., 1970, Glava II Regionalnie geofizicheskie issledovaniya v rudnykh raionakh (Chapter II Regional geophysical investigations of ore regions): in *Geofizicheskie Poiski Rudnykh Mestorozhdeniy* (Geophysical Exploration of Ore Deposits) eds. V.A. Klichnikov, V.V. Brodovoi, M.D. Morozov, and A.P. Solovov, p. 36-100 (in Russian).
- Brown, G.C., Cassidy, J., Oxburgh, E.R., Plant, J., Sabine, P.A., and Watson, J.V., 1980, Basement heat flow and metalliferous mineralization in England and Wales: *Nature* v. 288, Dec. 1980, p. 657-659.
- Campbell, Geoff, and Mason, R., 1979, The application of airborne and ground geophysical techniques to the search for magnetite-quartzite associated base-metal deposits in Southern Africa.
- Carmichael, R.S., 1982, Magnetic properties of rocks and minerals, *in* Carmichael, R.S. (ed.): *Handbook of Physical Properties of Rocks*, v. II, p. 229.
- Castagna, J.P., Batzle, M.L., and Eastwood, R.L., 1985, Relationships between compressional-wave and shear-wave velocities in clastic silicate rocks: *Geophysics* v. 50, no. 4, p. 571-581.
- Chappel, B.W., and White, A.J.R., 1974, Two contrasting granite types: *Pacific Geology* v. 8, p. 173-174.
- Christensen, N.I., 1982, Seismic velocities, *in* Carmichael, R.S. (ed.): *CRC Handbook of Physical Properties of Rocks*, v. II, p. 2-228.
- Clark, S.P., Jr., 1966, Thermal conductivity, *in* *Handbook of Physical Constants*, Clark, S.P., Jr. (ed.): Geological Society of America Memoir 97, p. 459-482.

- Corbett, J.D., 1991, Overview of geophysical methods applied to precious metal exploration in Nevada, in Raines, G.L., Lisk, R.E., Schafer, R.W., and Wilkinson, W.H. (eds.), *Geology and Ore Deposits of the Great Basin*, v. 2, Geological Society of Nevada, p. 1237-1251.
- Cox, D.P., and Singer, D.A., 1986, Mineral deposit models: U.S. Geological Survey Bulletin 1693, 379 p.
- Cowan, G.A., 1976, A natural fission reactor: *Scientific American*, v. 235, p. 36-47.
- Criss, R.E., and Champion, D.E., 1984, Magnetic properties of granitic rocks from the southern half of the Idaho batholith--Influences of hydrothermal alteration and implications for aeromagnetic interpretation: *Journal of Geophysical Research*, v. 89, no. B8, p. 7061-7076.
- Crone, J.D., 1988, Field examples of surface and borehole pulse EM surveys, in *New Directions in Mining Geophysics*: Haileybury School of Mines, Canada
- Daly, R.A., Manger, G.E., and Clark, S.P., Jr., 1966, Density of rocks, in Clark, S.P., Jr. (cd.), *Handbook of Physical Constants*, revised edition: Geological Society of America Memoir 97.
- Davis, J.L., Annan, A.P., and Vaughan, C.J., 1984, Placer exploration using radar and seismic methods: Abstracts, 54th Annual International Meeting: Society of Exploration Geophysicists, Expanded abstracts, p. 306-308.
- Davis, W.E., Jackson, W.H., and Richter, D.H., 1957, Gravity prospecting for chromite deposits in Camaguey province, Cuba: *Geophysics* v. 22, no. 4, p. 848-869.
- DeFelice, Barbara, 1991, CD-ROM revolutionizes GeoRef: *Geotimes* v. 36, no. 7, p. 22-24.
- Domenico, S.N., 1984, Rock lithology and porosity determination from shear and compressional wave velocity: *Geophysics* v. 49, no. 8, p. 1188-1195.
- Durrance, E.M., 1986, Radioactivity in geology, principles and applications: Ellis Horwood Ltd., 441 p.
- Ehni, W.J., 1991, The use of vertical electrical sounding in mineral exploration, in *Geology and Ore Deposits of the Great Basin*, Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H. (eds.): Geological Society of Nevada, p. 1221-1229.
- Elliot, Charles, 1967, Some applications of seismic refraction techniques in mining exploration, in *Seismic Refraction Prospecting*, Musgrave, A.W. (ed.): Society of Exploration Geophysicists, p. 522-538.
- Faust, L.Y., 1953, A velocity function including lithologic variation: *Geophysics* v. 18, no. 2, p. 271-288.
- Fedynskiy, V.V., 1967, *Razvedochnaya geofizika* (reconnaissance geophysics): Nedra, Moscow, 672 p. (in Russian).
- Fink, J.B., 1979, Interracial phenomena between liquid electrolytes and semiconducting base metal sulfides: Unpublished Masters Thesis, University of Witwatersrand, Johannesburg, 135 p.
- Fink, J.B., Sternberg, B.K., McAlister, E.O., Wieduwilt, W.G., and Ward, S.H., eds., 1990, Induced Polarization, applications and case histories: Society of Exploration Geophysicists, Investigations in Geophysics No. 4, 414 p.
- Fraser, D.C., 1981, Magnetite mapping with a multicoil airborne electromagnetic system: *Geophysics*, v. 46, no. 11, p. 1579-1593.
- Gardner, G.H.F., Gardner, L.W., and Gregory, A.R., 1974, Formation velocity and density - the diagnostic basics for stratigraphic traps: *Geophysics* v. 39, no. 6, p. 770-780.
- Gaucher, E.H., 1965, Quantitative interpretation of the "Montagne du Sorcier" magnetic anomaly, Chibougamau, Quebec: *Geophysics* v. 30, no. 5, p. 762-782.

- Gerryts, E., 1967, Diamond prospecting by geophysical methods - a review of current practice, in *Mining and Ground Water Geophysics* 1967: Canadian Geological Survey, p. 439-446.
- Gold, D.P., Vallée, M., and Charette, J.P., 1966, Economic geology and geophysics of the Oka alkaline complex, Quebec: Transactions Can. Inst. Min. v. 70, p. 245-258.
- Gosnold, W.D., Jr., Becker, D.J., and Eversoll, D.A., 1981, New heat flow data from Nebraska: EOS v. 62, no. 45, p. 1054.
- Grant, F.S., and West, G.F., 1965, Interpretation theory in applied geophysics: McGraw-Hill, 584 p.
- Gross, W.H., and Strangway, E.W., 1966, Remanent magnetism and the origin of hard hematites in Precambrian banded iron formations, in *Mining Geophysics*: Society of Exploration Geophysicists, v. 1, p. 366-378.
- Guillemot, Daniel, 1988, Le lever aerogeophysique du socle gabonais (airborne geophysical survey of the Gabonese basement): Chronique de la Recherche Miniere BRGM, no. 491, p. 13-24.
- Hallof, P.G., 1980, Grounded electrical methods in geophysical exploration, in *Practical geophysics*, Van Blaricom, R., ed.: Northwest Mining Association, p. 39-151.
- Hammond, W.R., and Sprenke, K.F., 1991, Radar detection of subglacial sulfides: *Geophysics*, v. 56, no. 6, p. 870-873.
- Hanna, W.F., 1969, Negative aeromagnetic anomalies over mineralized areas of the Boulder batholith, Montana: U.S. Geological Survey Professional Paper 650-D, p. 159-167.
- Hansen, D.A., 1966, The search for iron ore, introduction: in *Mining Geophysics*, V1, Case Histories, Society of Exploration Geophysicists, p. 359-365.
- Hansen, D.A.; and Barr, D.A., 1966, Exploration case history of a disseminated copper deposit, in *Mining Geophysics*, V1, Case Histories: Society of Exploration Geophysicists, p. 306-312.
- Hansen, D.A., 1980, Radiometries, Van Blaricom, Richard, ed. in: *Practical Geophysics for the Exploration Geologist*, p. 1-38.
- Hawes, J., 1952, A magnetic study of the Spavinaw Granite area, Oklahoma: *Geophysics* v. 17, no. 1, p. 27-55.
- Heiland, C.A., 1940, Geophysical exploration: Hafner (1968) reprint, 1013 p.
- Hohmann, G.W., and Ward, S.H., 1981, Electrical methods in mining geophysics: *Economic Geology* 75th Anniversary Volume, p. 806-828.
- Hood, P.J., 1961, Paleomagnetic study of the Sudbury Basin: *Journal of Geophysical Research* v. 66, p. 1235-1241.
- Hoover, D.B., and Pierce, H.A., 1990, Annotated bibliography of gamma-ray methods applied to gold exploration: U.S. Geological Survey Open-File Report 90-203, 23 p.
- Hoover, D.B., Grauch, V.J.S., Pitkin, J.A., Krohn, D., and Pierce, H.A., 1991, Getchell trend airborne geophysics - an integrated airborne geophysical study along the Getchell trend of gold deposits, North-Central Nevada: in *Geology and Ore Deposits of the Great Basin*, G.L. Raines, R.E. Lisk, R.W. Schafer, and W.H. Wilkinson eds., Geological Society of Nevada, v. 2, p. 739-758.
- Houseman, G.A., Cull, J.P., Muir, P.M., and Paterson, H.L., 1989, Geothermal signatures and uranium ore deposits on the Stuart Shelf of South Australia: *Geophysics* v. 54, no. 2, p. 158-170.
- Hunt, G.L., 1980, Chapter 2: Electromagnetic radiation - The communication link in remote sensing, in Siegal, B.S., and Gillespie, A.R., eds., *Remote Sensing in Geology*: John Wiley and Sons, New York, p. 5-45.
- Hunt, G.L., and Ashley, R.P., 1979, Spectra of altered rocks in the visible and near infrared: *Economic Geology*, v. 74, p. 1613-1629.

- Hunt, G.R., and Salisbury, J.W., 1970, Visible and near-infrared spectra of minerals and rocks - I. Silicate minerals: *Modern Geology*, v. 1, p. 283-300.
- Hunt, G.R., and Salisbury, J.W., 1971, Visible and near-infrared spectra of minerals and rocks - II. Carbonates: *Modern Geology*, v. 2, p. 23-30.
- Hunt, G.R., Salisbury, J.W., and Lenhoff, C.J., 1971a, Visible and near-infrared spectra of minerals and rocks - III. Oxides and hydroxides: *Modern Geology*, v. 2, p. 195-205.
- Hunt, G.R., Salisbury, J.W., and Lenhoff, C.J., 1971b, Visible and near-infrared spectra of minerals and rocks - IV. Sulphides and sulphates: *Modern Geology*, v. 5, p. 1-14.
- Hunt, G.R., Salisbury, J.W., and Lenhoff, C.J., 1972, Visible and near-infrared spectra of minerals and rocks - V. Halides, phosphates, arsenates, vanadates, and berates: *Modern Geology*, v. 3, p. 121-132.
- Hunt, G.R., Salisbury, J.W., and Lenhoff, C.J., 1973, Visible and near-infrared spectra of minerals and rocks - VI. Additional silicates: *Modern Geology*, v. 4, p. 85-106.
- Ishihara, S., 1977, The magnetite-series and ilmenite-series granitic rocks: *Mining Geology* v. 27, p. 293-305.
- Jahren, C.E., 1963, Magnetic susceptibility of bedded iron-formation: *Geophysics* v. 28, no. 5, p. 756-766.
- Jakosky, J.J., 1950, Exploration geophysics: Trija Publishing 1957 reprint, 1,195 p.
- Jakosky, J.J., and Wilson, C.H., 1933, Geophysical studies in placer and water-supply problems: AIME Geophysical Prospecting Publ. 515 p.
- Johnson, G.R., and Olhoeft, G.R., 1984, Density of rocks and minerals, in Carmichael, R.S., (ed.), *CRC Handbook of Physical Properties of Rocks* V. III p. 1-38.
- Johnson, G.R., 1983, Rock property measurements and analysis of selected igneous, sedimentary, and metamorphic rocks from world-wide localities: U.S. Geological Survey Open-File Report 83-736, 36 p.
- Johnson, I.M., 1990, Spectral IP parameters derived from time-domain measurements, in J.B. Fink and others, eds., *Induced Polarization: Society of Exploration Geophysicists, Investigations in Geophysics*, no. 4, p. 57-78.
- Kamara, A.Y.S., 1981, Review - geophysical methods for kimberlites prospecting: *Bulletin Australian Society of Exploration Geophysics* v. 12, p. 43-51.
- Keller, G.V., 1966, Electrical properties of rocks and minerals, in *Handbook of physical constants*, Clark, S.P., Jr., cd.: Geological Society America Memoir 97, p. 553-577.
- Keller, G.V., 1982, Electrical properties of rocks and minerals, in *Handbook of physical properties of rocks*, V.I., Carmichael, R.S., ed. : CRC Press, p. 217-294.
- Keller, G.V., Furgerson, Robert, Lee, C.Y., Harthill, Norman, and Jacobson, J.J., 1975, The dipole mapping method: *Geophysics* v. 40, no. 3, p. 451-472.
- Keller, G.V., and Frischknecht, F.C., 1966, Electrical methods in geophysical prospecting: Pergamon Press, 523 p.
- Ketola, M., 1979, On the application of geophysics in the indirect exploration for copper sulfides in Finland: in *Geophysics and Geochemistry in the Search for Metallic Ores*, Hood, P.J., (ed.): Geological Survey of Canada, Econ. Geology Report 31, p. 665-684.
- Kittel, Charles, 1956, Introduction to solid state physics: J. Wylie and Sons, 2d ed., 617 p.

- Kleinkopf, M.D., Peterson, D.L., and Gott, G., 1970, Geophysical studies of the Cripple Creek Mining district, Colorado: *Geophysics* v. 35, no. 3, p. 490-500.
- Klichnikov, V.A., and Benevolenskiy, I.P., 1970, Shtokverkovye volram-molibdenovye mestorozhdeniya v tsentralom Kazakhstan (Stockwork tungsten-molybdenum deposits in Central Kazakhstan), in *Geofizicheskie Poiski Rudnykh Mestorozhdeniy (Geophysical Exploration of Ore Deposits)* eds. Klichnikov, V.A., Prodovoi, V.V., Morozov, M.D., and Solovov, A.P., Kazakhstan Ministry of Geology (in Russian).
- Knepper, D.H., Jr., 1989, Mapping hydrothermal alteration with Landsat Thematic Mapper data, in Lee, Keenan ed., *Remote Sensing in Exploration Geology: 28th International Geological Congress Field Trip Guidebook T 182*, p. 13-21.
- Kuz'micheva, E.V., and Diomidova, V.A., 1968, Kuvoprocu o zakonomernostyakh izmeneniya magnitykh svoystv intruzivnykh porod Darasunskogo rayona (On the question of the regularity of the alteration of the magnetic properties of intrusive rocks in the Darasunsk region): in *Rudnaya Geofizika (ore geophysics)* issue 74 p. 222-238.
- Kulzgart, M., and Böhmer, M., 1986, Prospecting and exploration of mineral deposits: Elsevier 2nd ed., 508 p.
- Lajoie, J.J., and Klein, Jan, 1979, Geophysical exploration at the Pine Point Mines Ltd. zinc-lead property, Northwest Territories, Canada, in *Geophysics and Geochemistry in the Search for Metallic Ores*, Hood, P.J. (ed.), Geological Survey of Canada: Econ. Geology Report 31, p. 653-664.
- Lakhtionov, M.O., 1968, O vozmozhnosti primeneniya termometrii dlya resheniya nekotorykh zadach rydnuchnoy geologii na kolchedannyykh mestorozhdeniyakh (The possibility for the application of thermometry for resolution of some problems of ore geology on pyrite deposits: in *Rudnaya Geofizika* issue 74, p. 260-267.
- Langore, L., Alikaj, P., and Gjovreku, D., 1989, Achievements in copper sulfide exploration in Albania with IP and EM methods: *Geophysical Prospecting* v. 37, p. 975-991.
- Logn, Ørnulf, and Evensen, Einas, 1973, Thermal conductivities of some ores and rocks in Norway: *Norges Geologiske Undersøkelse Bull.* 20, p. 11-19.
- Longman, M.J., 1984, Location of gold deposits by digital processing of Landsat data: in *Geophysical Exploration for Precambrian Gold Deposits*, University of Western Australia, Doyle, H.A. (ed.), p. 65-79.
- Macnae, J.C., 1979, Kimberlites and exploration geophysics: *Geophysics* v. 44, p. 1355-1416.
- Madden, T.R., and Marshall, D.J., 1959, Induced polarization, a study of its causes: *Geophysics* v. 24, p. 790-816.
- Mansinha, L., and Mwenifumbo, C.J., 1983, A mise-a-la-masse study of the Cavendish geophysical test site: *Geophysics* v. 48, no. 9, p. 1252-1257.
- Mironov, V.S., 1972, Kurs gravirazvedki (a course in gravimetry): Nedra, Leningrad, 512 p.
- Montgomery, J.L., 1972, Uranium search in Australia, 1968 - a case history, in *Uranium Prospecting Handbook*, Bowie, S.H.W., Davis, M.; and Ostle, D., eds: Institute of Mining and Metallurgy, p. 289-295.
- Mooney, H.M., and Bleifuss, R., 1953, Magnetic susceptibility measurements in Minnesota, part 11, analysis of field results: *Geophysics* v. 18, p. 383-393.
- Mosier, D.L., 1986, 38c Grade and tonnage model karst bauxite deposits, in *Mineral Deposit Models*, Cox, D.P., and Singer, D.A., eds.: U.S. Geological Survey Bulletin 1693 p. 38-44.
- Neprimerov, N.N., Christoforova, N.N., and Kustanova, G.G., 1989, Correlation of heat flow with tectonics (convective cells) and hydrogeologic fields: *Revista Brasileira de Geofisica*, v. 7, no. 2, p. 129-139 (in English).

- Nettleton, L.L., 1956, Gravity survey for determination of caprock, Pine Prairie Dome, Louisiana: Geophysical Case Histories V. II, Paul L. Lyons ed., p. 149-155.
- Olhoeft, G.R., 1981, Electrical properties of rocks, *in* *Physical properties of rocks and minerals*, Touloukian, Y.S., Judd, W.R., and Roy, R.F., eds.: McGraw Hill, p. 257-330.
- Orris, G.J., and Bliss, J.D., 1991, Some industrial mineral deposit models - descriptive deposit models: U.S. Geological Survey Open File Report 91-11A, 73 p.
- Ovnatanov, S.T., and Tamrazyan, G.P., 1970, Thermal studies in subsurface structural investigations, Apsheron Peninsula, Azerbaijan USSR: American Association of Petroleum Geologists, Bull. v. 54, no. 9, p. 1677-1685.
- Padgett, P., Ek, J., and Erikson, L., 1969, Vargiträsk, a case-history in ore prospecting.
- Pakiser, L.C., and Black, R.A., 1957, Exploring for ancient channels with the, refraction seismograph: Geophysics v. 22, no. 1, p. 32-47.
- Palacky, G.J., 1986, Airborne resistivity mapping: Geological Survey of Canada, paper 86-22, G.J. Palacky ed., 195 p.
- Parasnis, D.S., 1966, Mining geophysics: Elsevier, 356 p.
- Parker, G.S., Jr., 1966, Geophysical case history, Marcona mining district, Peru, *in* *Mining Geophysics*: Society of Exploration Geophysicists v. 1, p. 429-447.
- Pelton, W.H., Ward, S.H., Hall, P.G., Sill, W.R., and Nelson, P.H., 1978, Mineral discrimination and removal of inductive coupling with multifrequency IP: Geophysics, v. 43, no. 3, p. 588-609.
- Peters, J.W., and Dugan, A.F., 1949, Gravity and magnetic investigations at the Grand Saline salt dome, Van Zandt Co., Texas, *in* *Geophysical Case Histories*, v. 1, Nettleton, L.L. (ed.): Society of Exploration Geophysicists, p. 105-120.
- Pickett, G.R., 1963, Acoustic character logs and their applications in formation evaluation: Journal of Petroleum Technology, June 1963, p. 659-667.
- Pires, A.C.B., and Harthill, N., 1989, Statistical analysis of airborne gamma-ray data for geologic mapping purposes, Crixas-Itapaci area, Goias, Brazil: Geophysics v. 54, no. 10, p. 1326-1332.
- Pitkin, J.A., 1968, Airborne measurements of terrestrial radioactivity as an aid to geologic mapping: U.S. Geological Survey Professional Paper 516-F, 29 p.
- Portnov, A.M., 1987, Radiokhimicheskaya spetsializatsiya gornykh pored po kaliyu i toriyu i yeye svyaz s orudeneniyem (Specialization of rocks toward potassium and thorium in relation to mineralization): Izvestiya SSSR ser. geologicheskaya, no. 3, p. 101-121 (reprinted in English in International Geology Review v. 29, no. 3, p. 326-344, 1987).
- Press, Frank, 1966, Seismic velocities, *in* *Handbook of Physical Constants*, Clark, S.P., Jr. ed.: Geological Society of America Memoir 97, p. 195-218.
- Reed, L.E., 1979, The discovery and definition of the Lessard base metal deposit, Quebec, *in* *Geophysics and Geochemistry in the Search for Metallic Ores*, Hood, P.J., ed.: Geological Survey of Canada, Econ. Geol. Report 31, p. 631-639.
- Reynolds, R.L., Rosenbaum, J.G., Hudson, M.R., and Fishman, N.S., 1990, Rock magnetism, the distribution of magnetic minerals in the Earth's crust, and aeromagnetic anomalies, *in* Hanna, W.F., ed., *Geologic Applications of Modern Aeromagnetic Surveys*: U.S. Geological Survey Bulletin 1924, p. 24-45.

- Richard, Vincent, Bayer, Roger, and Cuer, Michael, 1984, An attempt to formulate well-posed questions in gravity, application of linear inverse techniques to mining exploration: *Geophysics* v. 49, no. 10, p. 1781-1793.
- Roux, A.T., 1970, The application of geophysics to gold exploration in South Africa, *in Mining and Groundwater Geophysics*, Morley, L.W., ed.: Geological Survey of Canada Econ. Geol. Report 26, p. 425-438.
- Rowan, L.C., Goetz, A.F.H., and Ashley, R.P., 1977, Discrimination of hydrothermally altered and unaltered rocks in visible and near infrared multispectral images: *Geophysics* v. 42, no. 3, p. 522-535.
- Sate, M., and Mooney, H.M., 1960, The electrochemical mechanism of sulfide self-potentials: *Geophysics* v. 25, no. 1, p. 226-249.
- Schwarz, E.J., and Wright, N., 1988, The detection of buried placer deposits by ground magnetic survey: *Geophysical Prospecting* v. 36, no. 8, p. 919-932.
- Seigel, H.S., and Robbins, J.C., 1983, Exploring with Luminex: *Mining Engineering* v. 35, p. 729-732.
- Sengupta, S.N., Bose, R.N., and Mitra, S.K., 1969, Geophysical investigations for copper ores in the Singhana-Gotro area, Khetri copper belt Rajasthan (India): *Geoexploration* v. 7, no. 2, p. 73-82.
- Sheriff, R.E., 1991, Encyclopedic dictionary of exploration geophysics: Society of Exploration Geophysicists, 3rd ed., 376 p.
- Singer, D.A., Page, N.J., and Lipin, B.R., 1986, 8b, Grande and tonnage model of major podiform chromite, *in Mineral Deposit Models*, Cox, D.P., and Singer, D.A., eds.: U.S. Geological Survey Bulletin 1693 p. 38-44.
- Singh, Susendra, 1984, High-frequency shallow seismic reflection mapping in tin mining: *Geophysical Prospecting* v. 32, no. 6, p. 1033-1044.
- Sinha, A.K., 1989, Magnetic wavetilt measurements for geological fracture mapping: *Geophysical Prospecting* v. 37, no. 4, p. 427-446.
- Slichter, L.B., 1942, Magnetic property of rocks, *in* Birch, F. (ed.), *Handbook of Physical Constants*, Geological Society of America Special Paper 36, p. 293-297.
- Solovov, A.P., Ratnikov, V.M., Klichnikov, V.A., and Smelov, A.A., 1970, Fizicheskiye svoystva Porad i rud (Physical properties of rocks and ore), *in Geofizicheskiye Poiski Rudnykh Mestorozhdeniy* (Geophysical Exploration of Ore Deposits), Klichnikov, V.A., Brodov, V.V., Morozov, M.D., and Solovov, A.P., eds.: Kazakhstan Ministry of Geology p. 10-27.
- Sumi, F., 1965, Prospecting for non-metallic minerals by induced polarization: *Geophysical Prospecting*, v. 13, no. 4, p. 603-616.
- Sumner, J.S., 1976, Principles of induced polarization for geophysical exploration: Elsevier, 277 p.
- Sumner, J.S., and Schnepfe, R.N., 1966, Underground gravity surveying at Bisbee, Arizona, *in Mining Geophysics*, v. I: Society of Exploration Geophysicists, p. 243-251.
- Tatham, R.H., 1982, Vp/Vs and lithology: *Geophysics* v. 47, no. 3, p. 336-344.
- Telford, W.M., and Becker, Alex, 1979, Exploration case histories of the Iso and New InSCO orebodies, *in Geophysics and Geochemistry in the Search for Metallic Ores*, Hood, P.J., ed.: Geological Survey of Canada, Econ. Geology Report 31, p. 605-630.
- Telford, W.M., Geldart, L.P., Sheriff, R.E., and Keys, D.A., 1976, Applied geophysics: Cambridge, 860 p.
- Tovborg, Leif, Wollenberg, Harold, Rose-Hansen, John, and Nielsen, B.L., 1972, Drill core scanning for radioelements by gamma-ray spectrometry.
- Tippen, D.B., and Lawrence, G., 1972, The Nabarlek area, Arnkemland, Australia - a case history, *in Uranium Prospecting Handbook*, Bowie, S.H.W., Davis, M and Ostle, D., eds.: Institute of Mining and Metallurgy, p. 289-295.

- Trappe, H., Werner, Th., and Meissner, R., 1988, Crustal reflectivity pattern and its relation to geologic provinces: Geophysical Prospecting v. 36, no. 3, p. 265-281.
- Vakhromeyv, G.S., and Baryshev, A.S., 1984, The classification of physico-geological models of mineral deposits: Geophysical Prospecting; v. 32, p. 63-78.
- Van Blaricom, Richard, 1980, Practical geophysics: Northwest Mining Association, 303 p.
- van den Bouwhuijsen, J.N.A., 1934, The thermocouple proves useful on a geophysical survey: Eng. and Mining Journal, v. 135, no. 8, p. 342-344.
- Van Ostrand, C.E., 1934, Some possible applications of geothermics to geology: Bull. A.A.P.G., v. 18, no. 1, p. 13-38.
- Van Schmus, W.R., 1984, Radioactivity properties of minerals and rocks, in Carmichael, R.S., ed.: CRC Handbook of Physical Properties of Rocks, p. 281-293.
- Vavilin, L.N., Vorob'ev, V.P., Efimov, A.V., Zelenetskiy, D.S., Matveyev, A.V., and Filimonov, V.V., 1982, Aerogamma-spektrometriya v geologii (airborne gamma-spectrometry in geology): Nedra, Leningrad, 271 p.
- Vincent, R.K., 1977, Uranium exploration with computer-processed Landsat data: Geophysics v. 42, no. 3, p. 536-541.
- Vogelsang, D., 1987, Examples of electromagnetic prospecting for karst and fault systems: Geophysical Prospecting v. 35, no. 5, p. 604-617.
- Volarovich, M.P., and Sobolev, G.A., 1969, Direct piezoelectric prospecting of quartz and pegmatitic veins: Geoexploration v. 7, no. 4, p. 241-246.
- Vostretsov, Yu.P., 1968, Opyt primeneniya seysmo-kartirovaniya v usloviyah vulkanogenного poyasa primer'ya (Experiment in the application of seismic mapping in a volcanogenic zone): Rudnaya Geofiziko (Ore Geophysics) issue 74, p. 204-207.
- Watson, Kenneth, Kruse, F.A., and Hummer-Miller, Susanne, 1990, Thermal infrared exploration in the Carlin trend northern Nevada: Geophysics v. 55, no. 1, p. 70-79.
- Webster, S.S., 1984, Comments on the use of gamma-ray spectrometry for tin prospecting: Exploration Geophysics v. 15, p. 61-63.
- Wetherill, G.W., 1966, Radioactive decay constants and energies, in Handbook of physical constants, Sydney, P.C., Jr., ed.: Geological Society of America Memoir 97, p. 513-520.
- Wilds, S.R., and MacInnes, Scott, 1991, High resolution CSAMT applications in gold exploration - A case history, in Geology and Ore Deposits of the Great Basin, Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds.: Geological Society of Nevada, p. 1231-1236.
- Woeber, A.F., Katz, Samuel, and Ahrens, T.J., 1963, Elasticity of selected rocks and minerals: Geophysics v. 28, no. 4, p. 658-663.
- Wollenberg, H.A., and Smith, A.R., 1987, Radiogenic heat production of crustal rocks - an assessment based on geochemical data: Geophysical Research Letters v. 14, no. 3, p. 295-298.
- Yamada, Chika-Aki, 1967, Geophysical case history of the Myoho mine, Japan, in Geophysical Case Histories, v. 1, Nettleton, L.L., ed.: Society of Exploration Geophysicists, p. 588-599.
- Yungul, Sulhi, 1956, Prospecting for chromite with gravimeters and magnetometer over rugged topography in east Turkey: Geophysics v. 21, no. 2, p. 433-450.
- Zeitz, Isidore, Eaton, G.P., Frischknecht, F.C., Kane, M.F., and Moss, C.K., 1976, A western view of mining geophysics in the U.S.S.R. : Geophysics v. 41, no. 2, p. 310-323.

- Zielinski, G.W., and DeCoursey, Gail Moritz, 1983, Localized heat flow and Tertiary mineralization in southern New Mexico: Geophysics, v. 48, no. 9, p. 1212-1218.
- Ziolkowski, A., and Lerwill, W.E., 1979, A simple approach to high resolution seismic profiling for coal: Geophysical Prospecting v. 27, no. 2, p. 360-393.